

Index

Note: BC = Bonus Chapter on DVD-ROM

Numerics

16:9 images, 683–85
16-bit-per-channel mode, BC23B
23.976 and 24 fps frame rates, 640, 663,
674, 675–76
25 fps frame rate, 674, 676
29.97 and 30 fps frame rates, 640, 663,
674, 675–76
2d3. *See Third-Party sidebar*
2D viewport, 229
32-bit floating point mode, 454–55
3:2 pulldown, 675–76
3D axes, 230, 231
3D Channel Effects, BC40B
3D effects, 293
3D intersections, 237
3D layers
 2D versus, 290, 291
 collapsing, 358–60
 from different sources, 290
 parenting, 322
 rotation, 223, 316–17
 shadows of, 294–97
 types of, 292–93
3D Layer switch, 56, 119, 237, 241, 291,
292, 379. *See also* Per-character 3D
3DL format, 446
3ds Max. *See* Autodesk 3ds Max
3D space. *See also* OpenGL
 anchor points, 225
 collapsed, 358–60
 expressions and, BC37B
 motion in, 221–23
 offsets, 225
 perspective, 222
 rotation in, 56–57, 223–24
 text in, 376–79
3D text, 376–80, 393

3D views
 3D Reference Axes, 232
 Active Camera, 226, 228–29, 242
 default, 226
 multiple, 228–29
 navigation tools, 227
 orthographic, 226–27
 returning to previous, 233
 shortcuts, 227
 switching between, 227
4:3 images, 683–85
59.94 and 60 fps frame rates, 640, 674, 717

A

Accepts Lights option, 273
Accepts Shadows parameter, 277
action safe areas, 28, 682, 726
Active Camera, 226, 228–29, 242, 256
Adaptive Motion Blur, 132
Adaptive Resolution, 35, 397
Add mode, 147, 173, 410
adjustment layers
 3D layer switch and, 241, 409
 adjustment lights, 287–88
 alpha channels, 408
 animating, 408
 applying effects to, 407
 applying masks to, 408
 areas affected, 407–8
 blending modes and, 408
 Collapse Transformations and, 356
 creating, 406
 defined, 406
 multiple, 407
 switch, 119
 track mattes and, 203
Adjustment Lights, 119, 287–88
After Effects Multiprocessing preference,
729
Align & Distribute panel, 115, 117
All Fills Over All Strokes option, 367
Allow Scripts to Write Files and Access
 Network preference, 723, BC37C
All Strokes Over All Fills option, 367
Alpha Add mode, 150, 219
alpha channels
 from 3D renders, BC40B
 adjustment layers, 408
 contrast, 197
 edited images, 116
 importing with, 628–29
 interpreting, 639, 666
 inverted, 196, 638
 output, 701
 QuickTime movie, 190
 show, 32–33
 straight versus premultiplied, 629, 702
 unlabeled, 628
Alpha Mattes. *See* track mattes
Alternate Preview option, 38
Alternate RAM Preview preference, 724
Always Preview This View button, 21, 40,
227
Ambient lights, 271
Ambient parameter, 273
anamorphic widescreen video, 678–80
anchor points
 in 3D, 62, 225
 animating, 64–65
 centering, 64
 default position, 60
 defined, 60, 225
 examples, 62–63
 moving, 60–62
 offsetting, 63
 origin versus, 316
 resetting, 61
 uses for, 63, 64–65
Anchor Point tool. *See* Pan Behind tool
Andersson Technologies. *See Third-Party
 sidebar*
Angle of View, 257–59, 659
animation. *See also* Animation Presets;
 expressions; keyframes
 3D, 220–41
 anchor points, 60–63

-
- animation (*continued*)
 - anthropomorphic, 318
 - automatic, 67, 436, BC37B
 - cameras, 249–55
 - character, 318, 586
 - circular, 63, BC37B
 - constraining, BC37B
 - delayed, BC37B
 - echoed, 137, BC37B
 - effect point, 401–2
 - frame rates for, 674
 - lighting, 149, 280, 289
 - masks, 125, 167–71
 - mattes, 201
 - motion control, 329
 - motion path, editing, 45–47
 - nested comps, 329–31
 - parent/child-based, 201–3, 314–15, 318–21, 586
 - position, 44–45, 81
 - with puppeting, 586–95
 - random, 102, 386, 624, BC37B
 - rotation, 55
 - scale, 53
 - separating dimensions, 84–87
 - text (*see text; text animators*)
 - Animation Presets
 - applying to layers, 428–29
 - Behaviors, 436
 - creating, 426–27
 - defined, 426
 - deleting/moving/renaming, 429
 - download more, 434
 - effects and, 430–31
 - expressions in, 433, 619, BC37B
 - factory-supplied, 432–36
 - masks in, 430
 - saving, 427, 428
 - scaling, 431
 - searching, 428, 432
 - shapes, 531
 - styles versus, 426
 - text, 380, 434–35
 - Animators. *See* Text Animators
 - anthropomorphic animation, 318, 586
 - antialiasing
 - Collapse Transformations, 350
 - antialiasing (*continued*)
 - Quality, 25
 - subpixel positioning and, 69
 - Aperture setting, 260–61
 - Appearance preferences, 728
 - Application Window
 - resizing, 4
 - structure of, 4
 - arrays (in expressions), 615, 617, BC37B
 - artifacts
 - from adjacent colors, 686
 - “comb teeth,” 672–73
 - composite dot crawl, 686
 - compression, 677
 - looking for, 153
 - aspect ratios. *See* image aspect ratios; pixel aspect ratios
 - ATSC high-definition video standard, 674
 - audio
 - block size (duration), 704, 726
 - clipping, 602, 603
 - converting into keyframes, 609
 - decibels, 602
 - digitizing, 597
 - dual mono, 603
 - editing levels, 600–602
 - effects, BC36B (*see also Adobe Effects sidebar*)
 - EQ pointers, BC36B
 - fades, 605
 - hardware preferences, 730
 - importing, 631–32
 - Levels parameter, 600–604
 - marking hit points, 599–600
 - mixing, 603–5
 - mixing sample rates, 598
 - output mapping, 730
 - previewing, 40, 601, 724
 - quantization distortion, 598
 - rendering, 703–4
 - sample rate, 597–98
 - saving with video, 703
 - seeing, 596–98
 - spotting, 599–600
 - switch, 118
 - time remapping, 478
 - trimming, 605
 - audio (*continued*)
 - turning on/off, 118
 - viewing levels, 600, 602
 - waveforms, 598
 - Audio Options dialog, 602
 - Audio panel, 600
 - Audio Preview setting, 724
 - Auto Bezier keyframes, 46, 71
 - Autodesk 3ds Max, 658, BC40B
 - Autodesk Maya, 658, 659, 663, 666
 - Auto-Keyframe mode, 58–59, 248
 - Automatic Duck. *See* Third-Party sidebar
 - Auto-Orientation, 101, 235, 251, 267, 379
 - Auto-Orient Rotation
 - in 3D, BC37B
 - expression (lookAt), 297, BC37B
 - light, 267
 - Per-character, 379
 - using, 101
 - Auto Resolution, 24, 357
 - Auto-Save, 728
 - Autoscroll behaviors, 436
 - Auto-Select Graph Type, 78
 - Auto-trace, 178
 - Auto-Zoom Graph Height switch, 74
 - A/V features column, 118
 - Avid systems, importing from, 651
 - axis arrows, 222, 230, 231
 - Axis Modes, 231
- B**
- Background Renderer script, 714
 - backgrounds
 - 2D in 3D comps, 228–29
 - applying keyed foregrounds over, 470, 472–73
 - checkerboard, 33
 - color, 33
 - mattes with, 194–95
 - backups, 709
 - backward playback. *See* Time Remapping
 - bar graphs, BC37B
 - Behaviors, 436
 - Bezier keyframes, 46
 - Bezier masking, 164–65, 167
 - Binary (Color) Key, 464
 - black solids, 410–11
-

Blend Colors Using 1.0 Gamma, 452–53

blending modes

in 3D, 240

adjustment layers and, 408

Collapse Transformations, 355

compositing process, 140–41, 146

darkening, 145–46

defined, 140, 141, 143–44

lightening, 147–48

lighting effects, 149–52

math behind, 146

opacity and, 143, 150

overview, 144

in paint strokes, 559

property-replacing, 154–55

selecting, 142

in shape layers, 535

subtraction and division, 153–54

switches, 142

in text layers, 385

tooggling through, 140

Blend with Original parameter, 405

bluescreen. *See also* keying

backgrounds for, 472

keying, 462–73, BC27B

materials for, 462

blurs. *See also* Adobe Effects and

Third-Party sidebars; motion blur

comparison, BC23B

edge, 473

matte hierarchy, 209

selective, 418

variable, 418

Boris FX. *See* *Third-Party sidebar*

bounding boxes, 74, 160

Brainstorm, 415, 437–39, 553

Bridge (Adobe)

accessing, 8

Application Window, 9

functions, 8

importing files, 9

navigation, 432

Brightness preference, 728

broadcast safe colors, 460–61, 685

Browse Presets using, 432

Brush Tips panel, 555, 565

Brush tool, 555

Buffer Size preference (audio), 730

bugs (ID), 419

C

camera icon, 37, 114, 227

camera raw format, 455

camera rigs, 252–53

cameras (3D)

active, 226, 228–29, 242, 256

adding, 242–43, 262

animating, 249–55

Aperture setting, 260–61

appearance options, 247

Auto-Orientation, 251

basics of, 242

data translation, 659

default, 220, 242, 244, 259

editing between, 256

flipping over, 255

focusing, 260–61

F-stop, 260

importing data, 254

moving, 658–59

multiple per comp, 242

one-node, 248

pointing, 244–48

Point of Interest parameter, 243, 245–47

Position parameter, 243, 245–47

presets, 259

rack focus, 261

real film/lenses relation, 257

settings, 257–61

stacking order, 242, 256

two-node, 244–47

Unified Camera tool, 37, 227

View Options, 247

Zoom parameter, 258

Caps-Lock to disable rendering, 28

Casts Shadows option, 276, 277, 280–81,

See also shadows

CC effects. *See* *Third-Party sidebar*

Center Text, 370

channels. *See* alpha channels

Channel switches, 32–33

Chapter comments, 113

character animation. *See* Parenting;

puppeting

Character panel, 365

chroma keying. *See* keying

Cinema 4D (Maxon), 292, 657, 659, 664–71

Cineon format, 458–59

Classic Color Burn mode, 146

Classic Color Dodge mode, 149

Classic Difference mode, 153

Clean Aperture, 681

clipping (audio), 602, 603

Clone Presets, 569

Clone Source Overlay, 570–71

Clone Stamp tool, 568–69

CMYK color mode, 632

codecs

identifying, 630, 643

missing, 630

preferred, 630

Collapse Transformations

3D layers, 358–60

adjustment layers, 356

benefits, 350–51

blending modes, 355

comp proxies and, 720

effects and, 353

masks, 352–53

Motion Blur and, 355

nesting compositions, 354

pasteboard, crop to, 354

Quality and, 355

recursively, 357

rendering order changes, 352–53

staggered fades, 356

stencils, 357

switch, 119, 350, 360

Collect Files, 709–10, 712

Color (Binary) Key, 464

Color Burn mode, 146

color correction, 470, BC23B

Color Depth, 694

Color Dodge mode, 148–49, 410

color keying, 465, BC27B

color LUTs (look-up tables), 446–47

color management. *See also* 32-bit

floating point mode

benefits, 440

bit depth, 453, 454–55

broadcast safe colors, 460–61

-
- color management (*continued*)
 - Cineon Settings, 458
 - disabling, 450
 - display management, 445
 - enabling, 441
 - gamma, 451, 452–53
 - input profiles, 442–44
 - Interpret Footage dialog, 442–43
 - linear blending, 452–53
 - luminance range issues, 450–51
 - LUTs, 446–47
 - Match Legacy Gamma, 451
 - Output Module settings, 444
 - output profiles, 444
 - output simulation, 445
 - overview, 440
 - preview quality, 724
 - Project Working Space, 440, 441
 - still images, 444
 - video, 443–44
 - Color mode, 155
 - Color Picker, 32, 398
 - color profiles
 - changing, 451
 - Color Profile Converter, 443, 444, BC23B
 - defined, 440
 - digital photographs, 444
 - scene- versus display-referred, 447–49
 - selecting, 441
 - colors
 - artifacts from adjacent, 686
 - background when nested, 33
 - broadcast safe, 460–61, 685
 - of motion paths, 45
 - sampling (expression), BC37B
 - selecting, 32
 - of shape layers, 530, 535–36
 - of solids, 23, 410
 - source label, 117
 - of text, 365, 366, 382, 284
 - user interface, 728
 - color space, YUV versus RGB, 685
 - color swatches, 398
 - “comb teeth” artifact, 672–73
 - comments
 - for footage, 111
 - for markers, 113
 - Comp Flowchart View, 16, 207, 335
 - composite dot crawl, 686
 - Composition Navigator, 209, 331
 - compositions
 - 3D, 220
 - Anchor selector, 15
 - aspect ratio, 15
 - closing, 20
 - creating, 14–16, 21
 - defined, 2, 14
 - duplicating, 110
 - finding, 9
 - footage, adding, 18
 - frame rates, 15, 30
 - frame sizes, 15
 - go to beginning/end, 26
 - grids, 29
 - guides, 29
 - layers, adding, 18
 - “live” nature of, 3, 642
 - multiple, 20
 - multiple sources for, 21
 - multiple views of, 228–29
 - naming, 337
 - navigating in space, 22
 - navigating in time, 26
 - nesting (see nested compositions)
 - new, 14–16, 21
 - New Composition from Selection dialog, 21
 - precomposing (see precomposing)
 - previewing, 34–41
 - remapping, 485–87
 - renaming, 110
 - rendering to movies, 690
 - render order, 140–41, 236–37, 338–41
 - resizing, 24
 - resolution, 15, 24
 - rulers, 29
 - safe areas, 28
 - saving, 20
 - settings, 15
 - size, 15, 16
 - sources, adding, 18, 21
 - start offset, 31
 - Synchronize Time, 205
 - tabs indicating, 20
 - views, new, 228–29
 - compound effects
 - 3D Layer switch, 241
 - defined, 416–18
 - troubleshooting, 424
 - Comp panel
 - 3D views in, 226–29
 - creating additional, 228
 - disabling rendering in, 28
 - introduced, 3, 16
 - locking, 21, 333–34
 - masking in, 157
 - multiple, 228–29
 - split-screen, 21, 158
 - transforming shapes in, 534
 - updates, disabling, 688, 689
 - video previews, 41
 - zooming in, 22
 - comp proxies, 717–21
 - compression artifacts, 677
 - comps. See compositions
 - computer monitors, video monitors
 - versus, 685
 - concatenation, 353
 - Conformed Media Cache, 652, 727–28
 - Consolidate All Footage, 638, 708
 - Continuous Bezier keyframes, 46
 - Continuously Rasterize switch, 23, 361
 - Continuous Rasterization, 361–63
 - Convert Audio to Keyframes, 609
 - convert text to outlines, 393, 550
 - Convert to Point Text option, 368
 - corner pinning, 514, BC23B
 - correspondence points, BC23B
 - cracked surface effect, 424
 - CRAW images, 455
 - Create a New Composition button, 21
 - Create Layers at Composition Start Time
 - preference, 723
 - Create Master Composition option, 654
 - Create New Layers at Best Quality
 - preference, 723
 - Create Outlines, 393, 550
 - Create Split Layers Above Original Layer
 - preference, 723
 - cropping (compositions)
 - to current comp size, 354
 - in output module, 703
 - trim to work area, 127
-

crossfades

- automatic, 126–27, BC37B
- Blend effect for, 256, BC23B
- problems with, 50

CUBE format, 446

current time indicator (CTI), 26

Custom Output Simulation, 445

Cycle Mask Colors option, 163, 178, 179, 728

Cycore. *See Third-Party sidebar*

D

D1/DV conversion, 680

D1 footage, 676, 677–78, 680

Dancing Dissolve mode, 150

Darken mode, 145, 175

decibels, 602

Default Device preference, 730

Default Spatial Interpolation to Linear preference, 723

Deform Puppet Pins, 587, 588

depth of field, 234, 260–61, BC40B

Device Library panel (Device Central), 654

difference matting, 153

Difference mode, 153, 173

Diffuse parameter, 274

Digieffects. *See Third-Party sidebar*

Digital Film Tools. *See Third-Party sidebar*

dimensions

- in expressions, 615–16, BC37B
- separating for animation, 84–87

Disable Thumbnails in Project Panel preference, 725

Disk Cache preference, 727

disk caching, 39, 693, 727

displacement maps, 309, 422–25

display preferences, 724–25

distance, measuring, BC37B

distortion clipping, 602, 603

distributed rendering. *See network rendering*

Divide mode, 154

dot crawl (composite), 686

Draft 3D switch, 234, 273

Drag Import Multiple Items As preference, 725

drift removal. *See Motion Stabilization drop-frame timecode*, 31, 674

DV/D1 conversion, 680

DV footage, 676, 677–78, 680

Dynamic Link, 652

Dynamic Resolution. *See Adaptive Resolution*

E

Ease High/Low parameters, 383

Easy Ease keyframe assistant, 70

Echo effect, 136–37

edges

blurs for, 473

compression artifacts, 677

Edge Behavior (Displacement Map effect), 422

keyed object, 471–73

problems, 150, 219

Repeat Edge Pixels, BC23B

Roughen Edges effect, BC23B

softness in, 162

torn edge matte, 194, 207–8

Edit Original, 116

Effect Controls panel, 95, 196, 334, 395, 397, 431

Effect Favorites. *See Animation Presets*

effect points, 399, 401–2, 510

effects. *See also Adobe Effects and Third-Party sidebars for individual effects*
3D, 293

accessing, 415

animation and, 401–2

Animation Presets and, 430–31

applying, 394–95

applying to black solids, 410–11

color swatches, 398

compound, 416–25

Continuous Rasterization and, 362

copying, 403

custom interfaces, 400

deleting, 395

duplicating, 403

echoed, 136–37

editing, 395, 397–99

keyframe settings, 401

keying, 464–69

masks and, 182

master effects checkbox, 394

effects (*continued*)

missing, 400

multiple copies of, 403

nested comps and, 327

Options dialogs, 400

Paint and, 556, 567

pasting, 403

Pixel Bender, BC23B

point animation, 401–2

popups, 399

processing order, 397

renaming, 410

render settings for, 404–5

rotary dials, 398

searching for, 396

shape (*see shape layers*)

Show Effects option, 335

sliders, 397

stacking, 397

stencils, applied to, 215

switch, 119

for text layers, 367

third-party, 415 (*see also Third-Party sidebar*)

Effects & Presets panel, 395–96

Effects switch, 119

EIZ file format, BC40B

Electric Image, 659, BC40B

embossing, 418–21

Enable JavaScript Debugger preference, 723, BC37C

Enable Motion Blur button, 119

Enable OpenGL switch, 724

Encore (Adobe), 652, 653

EPS files, 636–37

Eraser tool, 560–63

ETLAT (Edit This, Look At That) behavior, 333–34

Euler rotation, 224

Exclusion mode, 153

explosions, compositing, 464

Exponential Scale keyframe assistant, 106–7, 363, 487

exporting

GIF files, 644

from mocha, 523, 526–27

SWF files, 392, 646

XML files, 647–49

Adobe Effects

- 3D Channel Extract, BC40B
Add Grain, BC23B
Advanced Lightning, BC23B, BC37B
Alpha Levels, BC23B
Angle Control, 619
Audio Spectrum, 404, BC23B
Audio Waveform, BC23B
Auto Color, BC23B
Auto Contrast, BC23B
Auto Levels, BC23B
Bass & Treble, BC36B
Bevel Alpha, BC23B
Bezier Warp, BC23B
Black & White, BC23B
Blend, BC23B
Block Dissolve, BC23B
Box Blur, BC23B
Broadcast Colors, 460
Calculations, 199, BC23B
Card Dance, BC23B
Card Wipe, BC23B
Cartoon, BC23B
Caustics, BC23B
CC effects. *See Third-Party sidebar*
Change Color, BC23B
Change to Color, BC23B
Channel Blur, 472
Channel Combiner, BC23B
Channel Mixer, 470, BC23B
Checkbox Control, BC37B
Cineon Converter, 459
Colorama, BC23B, BC40B
Color Balance, BC23B
Color Balance (HLS), BC23B
Color Control, 620, BC37B
Color Difference Key, 465, BC27B
Color Key, 464
Color Profile Converter, 443, 444, BC23B
Color Range Key, 465
Color Stabilizer, BC23B
Compound Blur, 418, BC23B, BC40B
Corner Pin, BC23B
Curves, BC23B, BC40B
Delay, BC36B
Depth Matte, BC40B
Depth of Field, BC40B
Difference Matte, 466
Directional Blur, BC23B
Drop Shadow, 327, BC23B, BC37B
Dust & Scratches, BC23B
Echo, 136–37
Exposure, 457
Expression Controls, 618–21
Extract, 466
Eyedropper Fill, BC23B
Fast Blur, BC23B
Fill, BC23B, BC37B
Flange & Chorus, BC36B
Foam, BC23B
Fog 3D, BC40B
Fractal Noise, 439, BC23B
Gaussian Blur, 406, BC23B
Glow, BC23B
Gradient Wipe, BC23B
Grow Bounds, 363, BC23B
HDR Highlight Compression, 456, 459
High-Low Pass, BC36B
Hue/Saturation, 461, 471, BC23B, BC40B
ID Matte, BC40B
Inner/Outer Key, 466
Layer Control, BC37B
Leave Color, BC23B
Lens Blur, 418, BC23B, BC40B
Lens Flare, 399, 401–2, 410–11
Levels, 197, 199, 200, BC23B, BC40B
Levels (Individual Controls), BC23B
Linear Color Key, 465
Liquify, BC23B
Luma Key, 464
Match Grain, BC23B
Matte Choker, 471
Median, BC23B
Mesh Warp, BC23B
Minimax, 430–31, BC40B
Modulator, BC36B
Mosaic, BC23B
Motion Tile, BC23B
Noise, BC23B
Noise Alpha, BC23B
Noise HLS, BC23B
Noise HLS Auto, BC23B
Numbers, 336, BC23B, BC37B
Offset, BC23B
Optics Compensation, BC23B
Paint, 554–75
Parametric EQ, BC36B
Photo Filter, BC23B
Point Control, BC37B
Polar Coordinates, BC23B
Puppet, 586–95
Radial Blur, BC23B
Radial Shadow, BC23B
Radio Waves, BC23B
Ramp, BC23B
Refine Edges, 211
Refine Matte, 471, 584
Remove Color Matting, 210, 410
Remove Grain, BC23B
Reshape, BC23B
Reverb, BC36B
Ripple, BC23B
Roughen Edges, BC23B
Scribble, 411, BC23B
Selective Color, BC23B
Set Channels, BC23B
Set Matte, 199, 200, BC23B
Shadow/Highlight, BC23B
Sharpen, BC23B
Shatter, 287, 293, BC23B, BC37B
Shift Channels, 199, BC40B
Simple Choker, 210, 471, BC40B
Slider Control, 625, BC37B
Smart Blur, BC23B
Spill Suppressor, 471
Stereo Mixer, 603–5
Stroke, 403, 404, BC23B
Texturize, 418–21
Timewarp, 135, 492
Tint, BC23B
Tone, BC36B
Transform, 340, 341, 409, 619, BC23B
Tritone, 398, 439, BC23B
Turbulent Displace, BC23B
Turbulent Noise, 439, BC23B
Unsharp Mask, BC23B
Vector Paint, 554
Vegas, BC23B, BC37B
Vibrance, BC23B
Warp, BC23B
Wave Warp, BC23B
Wave World, BC23B
Write-on, BC23B

Note: BC = Bonus Chapter on DVD-ROM

exposure, altering, 456–57
Expression Controls, 618–21
Expression Pick Whip Writes Compact
 English preference, 723
expressions
 absolute value in, BC37B
 in Animation Presets, 433
 array math, 617
 broken, 608–9
 color manipulations within, BC37B
 comments in, 623
 conditional statements, BC37B
 controlling, 618–20
 copying and pasting, 622
 creating, 610–11
 defined, 607
 degrees-radians conversions, BC37B
 deleting, 608
 disabling, 608, 609
 enabling, 607–8
 end-of-line punctuation, 622–23
 entering, 608
 error dialogs, 609
 exposing, 606
 in Graph Editor, 72, BC37B
 hiding, 608
 interpolation, 613, BC37B
 language menu, 623, BC37B
 layer space transform methods, BC37B
 length methods, BC37B
 linking dissimilar properties, 612–14
 linking effects and transformations,
 613–14
 linking properties with different
 dimensions, 615–16, BC37B
 looping, BC37B
 math symbols used in, 611, BC37B
 measuring distances with, BC37B
 multiline, 621–23, BC37B
 as offsets, 612
 paint strokes and, 556
 pick whip, 610–11
 revealing, 606, 608
 rounding numbers, BC37B
 saving, as Animation Presets, 619
 Show Expression Editor in Graph
 Editor, 620, BC37B

expressions (*continued*)
 text manipulation with, BC37B
 triggered, by markers, BC37B
 trigonometric functions in, BC37B
 user interfaces for, 619–20
 variables in, 621–23, BC37B
 vector math, BC37B
 wiggle, 624–25, BC37B
Expression Selector (for text), 393
eyeball icon, 118

F

F4V files, 631, 646
Fade Out Over Layer Below behavior, 436
fades. *See also* crossfades
 adjustment layers and, 356
 audio, 605
 expressions and, BC37B
 flickering, 211–12
 layer group, 51, 356
 Mask Opacity for, 163
 mattes, 211–12
 multiple layers at once, 356, 409
 opacity, 453
 Opacity keyframes for, 337, 356–57
 staggered, 356
 text, 372
 text presets, 434
Fade Up Characters preset, 434
Fast Previews button, 34
Fast Previews preference, 724
field flicker, 673–74
field order, 672, 703
fields. *See also* field order
 defined, 672
 interlaced, 672
 interpreting, 640
 masking on, 170
 render, 695
 stretched, 702
File Bar, 8
File Name Templates, 691, 713
files
 default names, 726
 forcing type, 631
 importing layered, 634–36
 importing multiple, 627

files (*continued*)
 missing, 627, 691
Fill Options, 529
fill over stroke, 535
Fill & Stroke options, 367
film
 Cineon format, 458–59
 frame rates, 675
 glow simulation, 148
Film Size parameter, 257
Final Cut Pro (Apple), importing from, 651
find source in Project panel, 115
fire, compositing, 464
First Vertex Point, 170, 189, 543
Fit to Comp, 52, 684
Fit to Comp Width, 681
Flash, 645–49. *See also* F4V files; FLV files;
 SWF files; XML files
Flash Video Cue Point and Parameters,
 113
floating point. *See* 32-bit floating point
 mode
flowchart view, 6, 16, 207, 335
FLV files, 631, 646, 647–49
focus, 3D camera, 260–61
Focus Distance parameter, 260–61
fog, 3D, BC40B
folders
 default names, 726
 importing, 627
 in Project panel, 6
fonts, 366
footage
 applying 3D lighting to, 289
 collecting files, 709–10, 712
 consolidating, 708
 converting to layered comps, 636
 defined, 2
 duplicating, 628
 Edit Original, 116
 finding, 9
 importing, 7, 8, 627–28
 interpreting, 639–43
 masking interlaced, 170
 missing, 2, 627
 photographs, digital, 442, 444
 proxy, 717

Third-Party Products

d3

Boujou, 494, 516

Andersson Technologies

SynthEyes, 494, 516

Apple

Final Cut Pro, 651

Motion, 651

Autodesk

3ds Max, 658, BC40B

Maya, 658, 659, 663, 666

Automatic Duck

Pro Import AE, 130, 651

Avid

various, 651

Boris FX

BCC 3D Extruded Image Shatter, 310

BCC Alpha Process, 211

BCC Extruded Spline, 310

BCC Extruded Text, 293, 310

BCC Layer Deformer, 310

BCC Optical Flow, 138

BCC Posterize Time, 138

BCC Sequencer, 138

BCC Temporal Blur, 138

BCC Time Displacement, 138

BCC Trails, 138

BCC Velocity Remap, 138

Cycore

CC Ball Action, BC23B

CC Bender, BC23B

CC Bend It, BC23B

CC Bubbles, BC23B

CC Composite, 405, BC23B

CC Cylinder, 293, 296–97, BC23B

CC Flo Motion, 340, 437

CC Force Motion Blur, 138–39

CC Glass Wipe, BC23B

CC Grid Wipe, BC23B

CC Image Wipe, BC23B

CC Kaleida, BC23B

CC Lens, BC23B

CC Light Burst, BC23B

CC Light Rays, BC23B

CC Light Sweep, BC23B

CC Light Wipe, BC23B

CC Particle Systems II, BC23B

CC Particle World, BC23B

CC Pixel Polly, BC23B

CC Power Pin, BC23B

CC Radial Blur, BC23B

CC Radial Fast Blur, BC23B

CC Radial Scale Wipe, BC23B

CC RepeTile, BC23B

CC Ripple Pulse, BC23B

CC Scale Wipe, BC23B

CC Sphere, 297, BC23B

CC Split, BC23B

CC Split 2, BC23B

CC Spotlight, 282, BC23B

CC Tiler, BC23B

CC Time Blend, 139, 493

CC Time Blend FX, 139

CC Toner, BC23B

CC Twister, BC23B

CC Vector Blur, BC23B

CC Wide Time, 138–39, 493

CycoreFX HD, BC23B

Digieffects

Atmosphere, 310

Camera Mapper, 310

Falloff Lighting, 268, 310

FreeForm, 293, 306–9

Digital Film Tools (DFT)

Composite Suite, 284

The Foundry

Camera Tracker, 494

Keylight, 467–69

Kronos, 492

GridIron Software

Nucleo Pro, 712, 719

Imagineer Systems

mocha, 518–27

mocha shape, 524–27

Maxon

Cinema 4D, 292, 657, 659, 664–71

NewTek

LightWave, 659, BC40B

Pixel Farm

PFTTrack, 494

Red Giant Software

Instant HD, 676

Key Correct Pro, 211, 473

Knoll Light Factory, BC23B

PlaneSpace, 238

Warp, 285, 287

RE:Vision Effects

RE:Flex, BC23B

SmoothKit, 418, BC40B

Twixtor, 138

Silhouette FX

SilhouetteRoto, 494

Softimage

XSI, 659, 662, BC40B

Synthetic Aperture

Color Finesse, 460, 685, BC23B

Echo Fire, 687

Trapcode

3D Stroke, 311

Echospace, 311

Form, 311, 415, BC23B

Horizon, 311

Lux, 280, 311, 415, BC23B

Particular, 293, 311, 415, BC23B

Shine, 415, BC23B

Sound Keys, BC36B

Starglow, 415

Video Copilot

Optical Flares, BC23B

Reflect, 285, 287

Zaxwerks

3D Flag, 311

3D Serpentine, 311

3D Warps, 311

Glintwerks, BC23B

Invigorator, 293, 303, 311, 393,

415, BC37B

Layer Tools, 238

ProAnimator, 311, 393, 415

Reflector, 285, 287, 311

Note: BC = Bonus Chapter on DVD-ROM

footage (*continued*)
removing unused, 708
renaming, 6
replacing, 114
Show Footage option, 335
usage information, 334, 338

Footage panel, 7

foreground, separating from background.
See keying, Roto Brush

Format Options dialog, 700

The Foundry. *See* *Third-Party sidebar*

Frame Blending
applying, 491–92
approaches, 493
enabling, 119, 484, 491–92
Frame Mix, 490–91
Pixel Motion, 490–91
rendering with, 492
Render Settings options, 694
switch, 119
Timewarp, 492
tips, 493
types of, 490

Frame Mix, 490

frame rates
3D integration, 663
animation, 674
common, 15
conforming, 674
defined, 30
film, 675
high-definition video, 674
interpreting, 640
manipulating, 474–93
motion blur, 134, 135
NTSC, 674
PAL, 674
p and i suffixes, 676
pulldown, 695
Render Settings, 689, 696

frames. *See also* fields; Frame Blending,
frame rates
D1, 676
DV, 676
freeze, 479
maximizing, 12
rotoscoping, 564, 576–85

frames (*continued*)
sizes (common video), 676
time remapping, 488–89
FreeForm (Digieffects), 306–9
Free Transform Points, 160–61, 185, 534
freeze frames, 479
F-stop, 260
fx switch, 394

G

gamma, 451, 452–53
gels, 282–83
General preferences, 722–23
GIF files, 644
glints, 218
gobos, 283–84
gradients, 535–37
Graph Editor
Keyframe Velocity dialog, 77
multiple values in, 78–80
Position graphs, 81–83
problems, 88
scrolling, 74
Separate Dimensions, 84–87
shortcuts for, 80
toggling, 73
Value Graphs, 72–74
Velocity Graphs, 76–77
viewing and editing keyframes in,
72–74
viewing expressions in, 620

grayscale images
conversion, shootout, BC23B
imported, 193
as mattes, 193

greenscreen. *See* bluescreen; keying

GridIron Software. *See* *Third-Party sidebar*

Grid preference, 726

grids, 29, 546

grouping. *See* nested compositions;
parenting; precomposing; shape layers

Grouping Alignment control, 385

Guide Layers, 111, 600

guides, 29

Guides preference, 726

H

handles
adding (time), 484
editing (path), 74–75
too long or short, 88

Hand tool, 22

Hard Light mode, 151

Hard Mix mode, 152

Hardware Accelerate Composition, Layer,
and Footage Panels preference, 725

Help
file (local), 414
system (web-based), 2, 11

hierarchies
creating, 324–26
track matte, 204–9

high-definition video, 674

Highlight Compression, 456

highlights, adding, 218

hold keyframes, 75, 89–90

Horizontal Type tool, 370

hot keying, 116

Hue mode, 154

I

IAR. *See* image aspect ratios

I-beam icon, 94

Illustrator
Alpha Mattes, 192–93
Artboard, 637
continuous rasterization of files from,
361–63
hot keying to, 116, 636
importing files from, 636–37
Pathfinder panel, 174
paths into masks, 183–84
paths into motion paths, 185
paths into shapes, 552

image aspect ratios, 676

images. *See also* still images
combining (*see* blending modes)
high dynamic range (HDR), 454, 456
high resolution, 24

Imagineer Systems. *See* *Third-Party sidebar*

Immigration script, 643

-
- Import File dialog, 626
 - importing
 - with alphas, 628–29
 - audio, 631–32
 - from Avid systems, 651
 - camera data, 254, 658–59
 - defined, 2
 - EPS files, 636–37
 - from Final Cut Pro (Apple), 651
 - footage, 7, 8
 - GIF files, 644
 - Illustrator files, 636–37
 - layered file as comp, 634–36
 - from Motion (Apple), 651
 - movies, 631
 - multiple files, 627
 - PDF files, 636–37
 - Photoshop files, 634–36
 - pixel aspect ratio setting, 677
 - PNG files, 644
 - preferences for, 725
 - from Premiere Pro, 650–51
 - projects, 3, 638
 - sequences, 633
 - still images, 632
 - SWF files, 636–37, 645–46
 - Include Project Link option, 699
 - Include Source XMP Metadata option, 699
 - in points, 120–23
 - “instant sex,” 405, BC23B
 - integration. *See also* importing
 - with 3D applications, 657–71
 - Dynamic Link, 652
 - with NLE systems, 650–51
 - overview, 644–56
 - web, 644–46
 - interlacing. *See* field order; fields
 - Inter-Character Blending, 385
 - interpolation
 - animated mask shapes, 171
 - expressions, 613, BC37B
 - hold, 89–90
 - keyframe, 45–47
 - Quaternion, 57
 - spatial, 43
 - temporal, 43
 - Interpret Footage, 6, 442–43, 639–42
 - Interpret Unlabeled Alpha As preference, 725
 - intersections
 - 3D, 237
 - holes in shapes, 538
 - Intersect mask mode, 173
 - J**
 - JavaScript. *See* expressions; scripting
 - JavaScript debugger preference, 723
 - jump parenting, 323
 - K**
 - kerning, 366
 - keyboard shortcuts
 - 3D shadows on/off, 276
 - 3D Views, 227
 - Active Camera view, 227
 - adjustment layer, creating, 406
 - Audio Levels in Timeline, 600
 - Audio panel, 601
 - camera, adding, 262
 - Casts Shadows toggle, 276
 - Comp and Timeline panels, toggling
 - between, 16
 - comp marker, adding, 113
 - comps, closing, 20
 - comps, creating new, 14
 - comps, multiple, 21
 - copying, 96
 - Custom view, 227
 - deselect all, 95, 427
 - deselect all keyframes, 95
 - duplicating queued items, 704
 - Edit Original, 116
 - Effect Controls panel, 196
 - Erase Last Stroke, 561
 - expressions, revealing, 606
 - footage, importing, 7
 - General preferences, 722
 - Go To Time, 232
 - for Graph Editor, 73, 80
 - grid, 29
 - guides, 29
 - Help file, 414
 - Info panel, 122
 - in/out point, going to, 108, 123
 - keyboard shortcuts (*continued*)
 - interpretation, copy and paste, 642
 - kerning, 366
 - keyframe navigation, 48, 488
 - laptop-specific, xvi
 - layer, locking, 118
 - layer, moving, 109
 - layer, ordering, 109
 - layer, precomposing, 206
 - layer, reversing, 476
 - layer, scrolling to top, 109
 - layer, selecting, 108
 - layer, snapping to edges or center, 18
 - layer, splitting, 128
 - layer, stacking order, 109
 - layer, stretching, 52
 - layer, trimming, 122
 - layer, twirling down properties of, 58
 - layer, unparenting, 320
 - layer marker, adding, 113
 - light, adding, 262
 - list of, 94
 - masks, creating, 159
 - masks, editing, 164–66
 - masks, reveal parameters, 176
 - mode (blending), 140
 - modified parameters, displaying, 402, 431
 - motion path, editing, 46–47
 - navigating Comp panel, 22
 - nested comps, opening, 324, 337
 - null object creation, 318
 - opacity, altering, 50
 - Paint and Clone, 555, 564, 569, 575
 - Pan Behind tool, 180
 - Parent column toggle, 312
 - Position dialog, 258
 - preferences, restoring default, 722
 - Puppet Pin tool, 587
 - Quality, 25
 - Resolution, 24
 - Rotation property, 54
 - rulers, 29
 - safe areas, 28
 - shapes, creating, 532
 - shapes, editing, 533–34
 - shapes, grouping selected, 538
-

keyboard shortcuts (*continued*)

- snapshot, 115
- solid, creating, 23
- solo selected, 56
- split-screen Comp panel, 158
- stopwatch, 44
- Switches/Modes toggle, 140
- text, centering, 370
- text selection, hiding, 391
- time navigation, 26
- time stretching, 475
- toggling Paint tools, 554
- transform properties, 66
- Type tool selection, 364
- undo, 115
- Use System Shortcut Keys, 723
- Video Preview toggle, 41
- views, 3D, 227
- windows, resizing, 4
- work area, 28, 127
- workspaces, switching between, 13
- zooming, 22, 27, 227

Keyframe Assistants

- Convert Audio to Keyframes, 609
- Easy Ease, 70
- Exponential Scale, 106–7, 363, 487
- Motion Sketch, 98–99, 104
- PlaneSpace, 238
- Sequence Layers, 126–27, 487
- Smart Mask Interpolation, 186–89
- Smoother, 100
- Time-Reverse Keyframes, 105
- Wiggler, 102–4

keyframes

- adding, 94
- Auto-Keyframe mode, 58–59
- converting audio amplitude to, 609
- copying, 96
- defined, 3
- deleting, 94, 95
- duplicated, 337
- editing numerically, 49
- hold, 75, 89–90
- icons, 45, 90
- interpolation types, 45–47
- moving, 95, 97
- navigating, 48, 401, 488

keyframes (*continued*)

- nudging, 95, 97
 - pasting, 96
 - puppets, 588–89
 - reversing layers, 477
 - reversing only, 474
 - roving, 83, 92–93
 - selecting multiple, 94–95
 - setting for effects, 401
 - slipping, 125
 - time reversing, 105
 - time stretching, 477
 - tips, 67
 - tool tips for, 51
- Keyframe Velocity dialog, 77
- keying
- Binary (Color) Key, 464
 - blue versus green background for, 463
 - color correction, 469, 470
 - Color Difference Key, 465, BC27B
 - Color Key, 464
 - Color Range Key, 465
 - defined, 462
 - Difference Matte, 466
 - edge improvements, 471–73
 - Extract keyer, 466
 - Inner Outer Key, 466
 - Keylight, 467–69
 - Linear Color Key, 465
 - Luma Key, 464
 - luminance key, 462–63
 - materials for, 462
 - spill suppression, 463, 469, 471
 - techniques used, 462–63
 - tips for, 462, 463–64

L

- labels, 117
- Labels preferences, 727
- Layer Bar mode, 80
- Layer Groups (Photoshop), 635
- layer modes. *See* blending modes
- Layer panel
 - disabling rendering in, 28
 - masking in, 158
 - navigating, 122

layer panel (*continued*)

- Render checkbox in, 158
 - trimming layers, 122
 - two timelines in, 485
 - unable to be opened, 360
 - View menu in, 158
- layers. *See also* 3D layers; adjustment layers
- adding to comps, 18
 - aligning, 115
 - Anchor Point, 225
 - background, 216–18
 - Best Quality, 25, 303
 - clipped, 348, 363, BC23B
 - collapsed, 352–53, 359–60
 - color defaults, 117
 - continuously rasterized, 361–63
 - converting footage to, 110
 - copying, 110
 - defined, 3, 17
 - distributing, 115
 - Draft Quality, 25, 303
 - duplicating, 110
 - editing, 120–31, 324
 - effects applied, viewing, 196
 - flipping horizontally or vertically, 59
 - freeze frame, 479
 - grouping (*see* nested compositions; parenting; precomposing)
 - Guide Layer, 111
 - in/out points, 120–21
 - inserting space between, 126
 - intersecting, 237
 - length of, 117
 - lighting options, 273–76
 - locking, 118
 - marking audio, 599–600
 - mattes, 193
 - mixing 2D and 3D, 238
 - motion blur for, 132–33
 - moving in 3D, 230
 - moving in layer stack, 109
 - moving in time, 109
 - naming, 110, 111
 - nesting, 617
 - order of, 19, 109

layers (*continued*)

- overlapping, 126–27
- parenting, 312–23
- pasting, 110
- positioning, 115, 117
- precomposing, 129–30, 206–8, 322
- Quality default, 25, 723
- renaming, 111
- replacing sources, 143
- resizing, 168
- reversing playback, 476–77
- reversing stack order, 109
- rotating, 223–24
- scale (stretch) to fit, 52
- scaling, 317
- selecting, 108
- Sequence Layers, 126–27
- Show Layers option, 335
- Shy, 118
- slip editing, 124–25
- solid, 23
- soloing, 110–11
- source name restoration, 111
- sources, 143
- speed of, 43, 71, 73
- splitting, 128–30
- stabilizing (*see* Motion Stabilization)
- stencils, 214–19
- text layer, default name of, 365
- text layer, renaming, 390
- time remapping, 478–84
- time stretching, 474–75
- tracking (*see* Motion Tracking)
- trimming, 121–24, 127
- trim work area to selected layers, 127
- twirling down properties of, 58
- unparenting, 320
- Wireframe Quality, 25
- zooming to see all, 227, 246

Layer Styles, 412–13

Levels of Undo preference, 722

Lighten mode, 147–48, 175

lighting. *See also* shadows

- adding, 262, 264
- ambient, 262, 271
- angle of, 262–63, 266–67

lighting (*continued*)

- animating, 289
- applying, to footage, 289
- back lighting, 280, 283
- color, 272
- Cone Angle, 268–69
- as creative tool, 289
- default, 220, 262
- disable, 234
- editing settings, 265–66
- effects, BC23B
- factors affecting, 262–63
- Intensity, 271–72
- layer issues, 287
- Material Options, 273–76
- moving lights, 265
- Parallel, 270, 278, 280
- Point, 269–70, 278
- Point of Interest, 265
- rotating, 267
- source, 262
- Spot, 264–66, 268–69, 278, 280
- types, 262

Light Transmission, 280–81

LightWave (NewTek), 659, BC40B

light wrap, 473

linear blending, 452–53

Linear Burn mode, 145

Linear Dodge mode, 148

Linearize Working Space, 452, 453

Linear keyframes, 47, 70, 82

Linear Light mode, 151–52

lines, creating, 546

Live Update button, 34, 45

Local Axis Mode, 231

Lock Source Time, 570

Lock switch, 118

Lock to Zoom option, 260

logo bugs, 419

looping, 642, BC37B

luminance, 155, 197, 214–17

- keying, 462–63
- range issues, 450–51

Luminescent Premultiply mode, 150

Luminosity mode, 155

M

magnification, 22

markers

- comments for, 113
- comp, 112
- expressions and, BC37B
- layer, 113

masking (masks)

- alpha-based, 178
- anchor points for, 160
- animation of, 125, 167–71
- Animation Presets and, 430
- applying to adjustment layers, 408
- Auto-trace and, 178
- basics of, 156–58
- Bezier, 164–65, 167
- color-coding, 176
- in Comp panel, 157
- constraining aspect ratio, 160
- converting mocha shapes into, 179
- copying, 176
- deleting, 177
- deleting mask points, 165, 171
- deleting mask shapes, 165
- editing, 164–66
- editing multiple, 176
- effects and, 182
- expansion, 162
- feathering, 162, 362
- First Vertex Point, 170, 189
- Free Transform Points, 160
- hiding, 177
- Illustrator, pasting from, 183, 185
- interlaced footage, 170
- interpolating between, 186–89
- inverting, 172
- keyboard shortcuts, creating, 159
- keyboard shortcuts, editing, 165–66
- keyboard shortcuts, parameters, 176
- in Layer panel, 158
- locking, 177
- mask modes, 173–74
- masks to shapes, 551
- masks to shapes script, 550
- motion blur for, 134, 167, 169
- moving entire, 160–61
- multiple, 173–77

-
- masking (masks) (*continued*)
 - nested comp issues, 135
 - nudging, 158
 - opacity, 163, 175
 - outline colors of, 728
 - panning inside, 180–81
 - pasting, 176, 182, 402–3
 - as paths, 404
 - paths, opening/closing, 165
 - paths for, 182–85
 - Photoshop, pasting from, 184, 185
 - points, 164–65, 171
 - Preserve Frame Rate option, 171
 - renaming, 176
 - rendering issues, 171
 - reordering, 176
 - resetting, 159
 - resizing, 160, 168
 - reverse path direction, 189
 - rotating, 160–61, 170
 - RotoBezier, 179, 180
 - rotoscoping tips, 179–80
 - scaling, 160
 - selecting multiple, 176
 - selecting points on, 160, 161
 - shape layers versus, 528, 550, 551
 - shape shortcuts, 159
 - shortcuts, 176
 - slipping problems, 171
 - Smart Mask Interpolation, 186–89
 - stabilized footage, 501
 - sync with source frames, 171
 - Target menu, 177
 - text and, 182
 - tools for, 156
 - tracing outlines to create, 178
 - turning off, 177
 - velocity and, 168–69
 - vertex count when editing, 723
 - Mask Shape dialog, 168
 - master effects checkbox, 394
 - Match Legacy Gamma switch, 451
 - mattes. *See* track mattes
 - MAX2AE (Boomer labs), 659
 - Maxon Cinema 4D, 292, 657, 659, 664–71
 - Maya (Autodesk), 658, 659, 663, 666
 - measurement conversions, 49, 258, BC37B
 - measuring distance, BC37B
 - Media & Disk Cache preferences, 727–28
 - Memory & Multiprocessing preferences, 729
 - Memory preference, 729
 - Mesh Expansion, 593
 - Mesh Triangles, 593
 - Metal parameter, 275–76
 - methods in expressions, 613, 623
 - Mini-Flowchart button, 209, 332
 - mobile devices, creating content for, 654–56
 - mocha, 518–27
 - mochalimport, 522
 - mocha shape, 179, 524–27
 - MoCon (3DMation), 659
 - modes. *See* blending modes
 - Modes column, 118, 142
 - monitoring results, 686–87
 - Motion (Apple), importing from, 651
 - motion blur
 - 3D, 234, 658
 - adaptive, 132
 - applying, 133
 - in Collapse Transformations, 355
 - described, 132–33
 - faux, 135
 - frame rates, 134, 135
 - gamma and, 452
 - on masks, 134, 167, 169
 - Render Settings, 135, 696
 - Shutter Angle, 134
 - Shutter Phase, 134
 - switch, 119, 133, 234, 355
 - motion control moves, 64–65
 - Motion Path preference, 724
 - motion paths
 - 3D, 232–35
 - appearance preference, 724
 - color of, 45
 - editing, 45–47
 - editing for effect point, 402–3
 - mask paths and, 185
 - moving, 97
 - nudging, 97
 - scaling, 97
 - motion sketching, 589
 - Motion Sketch keyframe assistant, 98–99, 104
 - Motion Stabilization
 - advice on, 503
 - basics of, 494–97
 - masking and, 501
 - options, 497–98
 - setup, 494–99
 - Motion Tracking. *See also* Motion Stabilization
 - 3D, 516
 - Adapt Feature on Every Frame option, 498
 - Affine Corner Pin, 514
 - alternative trackers, 494
 - Attach Points, 506–8
 - averaging tracks, 512
 - defined, 506
 - displaying track keyframes, 506
 - with dots, 515–16
 - effect points, 510
 - Extrapolate Motion option, 498
 - with mocha, 518–23
 - Options dialog, 507
 - Perspective Corner Pin, 514, 516
 - removing/cloning objects, 572–74
 - setup, 494–98
 - TrackerViz script, 507
 - Tracking Regions, 495–96, 504–5, 507
 - types of, 509–10
 - mouse
 - middle button, 22, 227
 - recommendations, xvi
 - wheel scrolling, 22
 - movies
 - converting sequences to, 714–15
 - importing, 631
 - manipulating frame rates, 474–93
 - rendering, 690
 - saving RAM Previews, 39, 691, 707
 - scaling up, 632
 - segmenting, 725–26
 - time stretching, 474–75
 - multipass rendering, 669, 670
 - Multiply mode, 145
 - multiprocessor rendering, 41, 710, 729
-

N

nested compositions
3D, 239, 359
animation, 329–31
automatic nesting, 205
basics of, 324–26
collapsed, 351–53
defined, 3, 324
effects editing, 327
effects order, 338
failure to nest, 336
flowchart views, 335
instant, 331
most recent, 333
motion blur and, 135
naming, 337
navigating, 209, 331–32
nesting options, 336–37
nesting tips, 205, 337
opening, 324, 333, 337
pan behind effect using, 341
panning oversized, 329
Pre-compose, 342–45
Preserve Frame Rate, 336
rendering order, 338–41
sequence editing, 328
size of, 329
time remapping, 485–87
track mattes, 204–9
Transform effect and, 340, 341
transforming, 325–26, 337
usage information, 334

network rendering
basics of, 710
failure recovery, 712–13
setup for, 710, 711–12

New Composition from Selection
dialog, 21

NewTek LightWave, 659, BC40B

NLE systems, integration with, 650–51

No Break option (text), 368

non-drop timecode, 31, 674

non-square pixels, 677–78

NTSC video. *See also* frame rates
comp presets, 15
D1 and DV formats, 680

Nucleo Pro (GridIron Software), 712, 719

Null objects

Anchor Point, 316
defined, 318
and expressions, 618–120
grouping with, 322
in jump parenting, 323
nonuniform scale solution, 321
as parent, 202–3
renaming, 320

numbers generation, BC23B, BC37B

O

objects, removing or duplicating, 572–74

opacity. *See also* alpha channels
across multiple masks, 175
Alpha Add mode, 150, 219
blending modes and, 141, 150
editing, 50
fades, 453
keyboard shortcuts, 50
keyframes, 337
nesting compositions, 337
Preserve Underlying Transparency, 217
stacked layers and, 50

OpenGL
3D acceleration, 37, 234
enabling, 35, 724
previewing, 35–37, 220, 234, 244, 261
render speed, 693
shadows and, 36

Open Parent Composition button, 209

Options menu, location, 13

Orbit/Track Camera tools, 227, 243, 245, 247, 248, 252

Orientation parameter, 56–57, 223–24, 230

orthographic views, 226–27

out points, 120–23, 488

Output Module Settings, 444, 698–704, 700

Output preferences, 725–26

Output Simulation (color), 445

Overlap tool, 590–91

Overlay Edit, 130–31

Overlay mode, 149

overscan, 682

P

padlock icon, 118

Paint and Clone
animating strokes, 562–66
blending modes, 559
Brush Tips panel, 555, 565
Brush tool, 555
Channels popup, 558
Clone Presets, 569
Clone Source Overlay, 570–71
Clone Stamp tool, 568–69
Custom Duration, 564
editing existing strokes, 556–59
effects and, 556, 567
Eraser tool, 560–63
expressions and, 182, 574
interpolating strokes, 565–66
keyboard shortcuts, 554, 564, 569, 575
Mode popup, 559
motion tracking with, 572–74
Paint on Transparent option, 557
Paint panel, 554–55, 558
removing/duplicating objects, 572–74
rotoscoping, 564
Source Time Shift, 571
straight line stroke, 575
tablets, using with, 565
tips for, 575
transforming strokes, 558
Write On mode, 563

PAL video, 674. *See also* frame rates

Pan Behind tool, 61–62, 180–81, 314, 341

panels. *See also* individual panels
closing, 11
collapsing, 10
maximizing, 12
moving, 12
opening additional, 5, 13
overview, 5
rearranging, 10–13
re-docking, 12–13
resizing, 10
workspaces, 13

panning, 64–65

PAR. *See* pixel aspect ratios

Paragraph panel, 368

Parallel lights, 270, 278, 280

- parenting
 - 3D layer, 322
 - character animation, 318
 - child-parent breakups, 313–14
 - defined, 312, 316–17, 324
 - effects exclusion in, 203, 315
 - expressions and, BC37B
 - grouping layers with, 617
 - jump parenting, 323
 - nonuniform scale problem, 321
 - pick whip for, 202, 313
 - power of, 318
 - scale skewing from, 321
 - track matte, 201–2, 322
 - using nulls for, 318–23
- Pathfinder panel (Illustrator), 174
- path operators (shape layers), 542
- Path parameter (effects), 404
- Path Point Size preference, 45, 161, 722
- PDF files, 636–37
- Pen tool, 47, 165, 529, 533–34
- Per-character 3D, 292, 376–80, 393
- perspective, 222
- Photoshop
 - 3D imagery from, 293, 298–305
 - hot keying to, 116, 636
 - importing files from, 634–36
 - Layer Groups, 635
 - Layer Styles, 412–13
 - pasting paths from, 184, 185
 - Repoussé, 304–5
 - supported features, 634
 - text integration with, 392
- PIC file format, BC40B
- pick whip tool, 202, 313, 610–11, 615–16, 618, BC37B
- Pin Light mode, 152
- Pixel Aspect Ratio Correction switch, 680
- Pixel Aspect Ratio popups, 678
- pixel aspect ratios
 - 3D integration, 663
 - explained, 677
 - interpreting, 641
 - non-square issues, 677–80
- Pixel Bender toolkit, BC23B
- Pixel Farm. *See Third-Party sidebar*
- Pixel Motion, 490, 492
- pixels per inch (ppi), 9, 258
- PlaneSpace, 238
- PNG files, 644
- Point lights, 269–70, 278
- Point of Interest parameter, 243, 245–47
- Position dialog, 258
- Position graphs, 81–83
- Position keyframes, 43, 81, 99
- Position paths. *See* motion paths
- Position property
 - animating, 44–45, 81
 - camera, 243, 245–47
 - pasting to effect point, 402–3
- Post-Render Action, 699, 715, 720
- ppi (pixels per inch), 9, 258
- precomposing. *See also* precomps
 - Collapse Transformations, 352–53
 - explained, 342–49
 - grouping, 206
 - options, 343–45
 - Set Matte effect, 200
 - track mattes, 206–8
- precomps. *See also* precomposing
 - compound effects and, 421
 - defined, 327
 - numbering, 348
 - opening, 19
 - prerendering, 338
 - trimming, 348–49
- Preferences
 - Appearance, 728
 - Audio Hardware, 730
 - Audio Output Mapping, 730
 - Auto-Save, 728
 - basics of, 722
 - Display, 724–25
 - General, 722–23
 - Grids & Guides, 726
 - Import, 725
 - Labels, 727
 - Media & Disk Cache, 727–28
 - Memory & Multiprocessing, 41, 729
 - Output, 725–26
 - Previews, 724
 - restoring default, 722
 - text-based Preferences file, 730
- Premiere Pro, integrating with, 130, 650–51, 652
- premultiplied alpha. *See* alpha channels
- prerendering, 716–17
- Preserve Constant Vertex Count when Editing Masks preference, 723
- Preserve Edges option, 674
- Preserve Frame Rate comp setting
 - explained, 336
 - with Numbers effect, 336
 - when masking, 171
- Preserve Resolution comp setting, 336
- Preserve Underlying Transparency, 217–19
- previewing
 - 3D render, 229
 - audio only, 40, 601
 - Fast Previews, 34–35
 - Favor Active Camera option, 40
 - interactive, 34–37
 - OpenGL, 35–37, 234
 - preferences, 724
 - RAM, 37–39
 - Region of Interest, 40
 - through video cards, 728
 - Video Previews, 41, 686–87
 - Wireframe, 35
- Previews Favor Active Camera, 40
- Preview switch, 23, 32, 33
- Production Aperture, 681
- Pro Import AE (Automatic Duck), 130, 651
- Project Flowchart View, 6, 335
- Project panel
 - disabling thumbnails in, 725
 - introduced, 6, 14
 - QuickSearch fields in, 4, 57
- projects
 - backing up, 709
 - collecting files, 709–10
 - importing, 3, 638
 - merging, for rendering, 715
 - missing effects in, 400
 - missing footage in, 2, 691
 - opening old, 638
 - streamlining, 708–9
 - structure of, 3

Project Settings, 30, 441, 451, 452
Project Working Space, 440, 441
Proportional Grid preference, 726
ProRes 4444 codec, 450
proxies
 applying, 718
 behavior of, 719
 Collapse Transformations and, 720
 comp, 717–21
 defined, 717
 examples illustrating, 719–21
 footage, 717, 721
 RED, 718
 rendering with, 714–15, 721
Proxy switch, 718
PSD files, 653
pulldown, 171, 640–41, 675–76, 695
puppeting
 basics of, 586
 keyframing, 588–89
 mesh issues, 587, 593, 594
 motion sketching, 589
 Overlap tool, 590–91
 Puppet Pins, 586–87, 588
 Starch tool, 592
 text deformation, 594–95
Puppet Record Options, 589

Q

Quality (Best/Draft)
 antialiasing and, 350
 in Collapse Transformations, 355
 defined, 25
 Render Settings, 692
 setting for multiple layers, 25
 subpixel positioning, 69
 switch, 119, 355
quantization distortion (audio), 598
Quaternion
 interpolation, 57
 rotation, 224
QuickSearch fields, 4, 57
QuickTime
 alpha channel creation, 190
 gamma, 451
quotation marks, 366

R

“rack focus” effects, 261
Raining Characters In preset, 434, 435
RAM Previews, 37–39, 566
randomization, 437–39, BC37B
realtime updating, toggling, 34, 234
Rectangle mask tool, 159
recursive switches, 357, 723
RED
 color management, 443, 453, 455, 460
 proxies, 718
 R3D Settings, 460, 642
Red Giant Software. *See Third-Party sidebar*
Reduce Project, 708–9
Refine Matte, 471, 584–85
reflections, 285–87, 662
Region of Interest, 40, 234, 703
Remove Unused Footage, 708
rendering. *See also* network rendering;
 render order; Render Queue settings
 3:2 pulldown, 695
 advanced, 708–15
 basics of, 3, 688–90
 compound effects and, 417
 Comp panel, disable update, 688, 689
 constrained output formats, 700
 disabling, 28
 fields, 135, 695, 702
 with Frame Blending, 492
 merging projects for, 715
 multipass, 669, 670
 multiprocessor, 710, 729
 path for rendered file, 700
 premultiplied alpha channel, 702
 with proxies, 721
 re-, 704
 scripts, 714
 settings for, 692–97
 stopping, 689, 705
 straight alpha channel, 702
 time span, 696
 troubleshooting, 68–69
Render Layers, 714
render log, 705
Render Multiple Sections, 714

render order
 2D, 236
 3D, 236–37
 changing, 239, 338–41, 346–47
 with Collapse Transformations, 352–53
 continuous rasterization and, 361–62
 with nesting, 338–41
 normal, 350, 352
Render Queue settings. *See also* rendering
 3:2 pulldown options, 695
 alpha channel options, 702
 audio output, 703–4
 changes after queuing, 690
 channels, 701
 color channels, 702
 compositions, adding, 704
 Constrained Output Formats, 700
 Crop options, 703
 Depth options, 701
 destination folder, changing for
 multiple items, 690
 directory path for render, 700
 duplicating items, 704
 Effects options, 694
 embed project, 699
 files missing, 691
 format, 698, 700
 Frame Blending options, 694–95
 frame rates, 689, 696
 logs, 705
 Motion Blur options, 135, 696
 movies, 690
 multiple compositions, 689
 names and file paths, 691
 Output Module Settings, 698–704
 post-render action, 699
 progress of render, 705
 proxy use, 693
 Quality options, 692
 RAM Previews, 691
 Render Settings, 692–97
 Resolution options, 693
 saving, 698
 Settings Mismatch, 700
 Skip Existing Files, 697
 Starting #, 701
 Status column, 704

Render Queue settings (*continued*)

- stills, 690–91
- Stretch options, 702–3
- templates, 706–7
- Video Output option, 699

Render Settings dialog, 711, 721

Repeater (shape layers), 542, 544–46, 548–49, 553

Repoussé, 304–5, 393

resampling, 69

Reset Mask, 159

resolution

- Auto setting, 24, 357
- Collapse Transformations, 350–51
- defined, 24
- magnification and, 24
- maintaining original, 350–51
- ppi, 9
- Render Settings option, 693
- setting, 24
- working at lower, 234

Reveal in Timeline, 401–2

Reverse Layer, 476–77

reverse play. *See* Time Remapping

RE:Vision Effects. *See* *Third-Party sidebar*

RGB color space, 685

Ripple Insert Edit, 130–31

RLA format, 662, BC40B

rotation

- 3D, 56–57, 223–24, 230, 248, 317
- animating, 55
- child-parent, 316–17
- editing, 54–55, 230
- Euler, 56, 224
- masks, 160–61, 170
- orientation versus, 223–24, 230
- Quaternion, 224
- removal (*see* Motion Stabilization)
- rules, 54
- text, 373, 377–78
- tracking, 509–10

Rotation tool, 57, 230, 248

RotoBezier masks, 166–67, 179, 180

RotoBezier paths for shape layers, 533

Roto Brush tool

- alternatives to, 178, 179
- Base frame creation, 577–79

Roto Brush tool (*continued*)

- benefits of, 576
- Motion Blur, 585
- Propagation, 580–81
- Refine Matte, 584–85
- Segmentation Boundary corrections, 582–83
- workflow for, 576–77

rotoscoping, 179–80, 564. *See also*

masking (masks)

roving keyframes, 83, 92–93

RPF format, 662, BC40B

rulers, 29

S

safe areas, 28, 682–83, 726

Safe Margins preference, 726

sample rate, 597–98

Saturation mode, 154–55

scale

- 3D layer, 237, 317
- animating, 53
- editing, 51–52
- fit to comp, 52
- resetting, 53
- tracking, 509–10

Scale Bounce behavior, 436

Screen mode, 148, 211, 410

scripting, 723, BC37C

scripts, 381, 507, 522, 550, 643, 714

scrolling with mouse wheel, 22

scrubbing tips, 275

Segmentation Boundary, 578–84

Segment Sequences At preference, 725

Segment Video-only Movie Files At preference, 726

Selection tool, 22, 161, 165

Separate Dimensions button, 84–87

Sequence Footage preference, 725

Sequence Layers, 126–27, 487

sequences

- converting, to movies, 714–15
- editing, 328
- importing, 633

Set First Vertex, 170, 189, 543

Settings Mismatch warning icon, 700

shadow catcher technique, 294–95, 670–71

Shadow Darkness parameter, 277

Shadow Diffusion parameter, 277–78, 279

shadow maps, 281

shadows

- 3D, 276–85, 294–97, 670–71
- collapse transformations and, 359–60
- color default, 280
- continuous rasterization and, 363
- detail, 281
- Drop Shadow effect, 327, BC23B
- enabling, 277
- Layer Effect, 412
- nested comps and, 359–60
- OpenGL and, 36
- quality, 281
- softness, 279
- track mattes and, 277

shape effects, 542–49

Shape Fill Color, 529

shapes (shape layers)

- Animation Presets, 531
- blending modes, 535
- Brainstorm and, 553
- centering, 531
- Create Outlines (from text), 550
- creating freeform, 533–34
- creating parametric, 530–32
- dashed lines, 537
- editing, 533–34
- fills, 529, 535
- First Vertex Point, 543
- gradients, 535–36
- grids, 546
- grouping, 538, 540
- Illustrator paths into, 552
- masks versus, 528, 550, 551
- Merge Paths, 540–41
- multiple, 531, 538–41
- Offset Paths, 542
- open path, 534
- Pen tool and, 533–34
- Pucker & Bloat, 542
- Repeater, 542, 544–46, 548–49, 553
- Round Corners, 542
- spiraling, 545
- strokes, 529, 535, 537

-
- shapes (shape layers) (*continued*)
 - transforming, 530–31, 534
 - Trim Paths, 542
 - Twist, 543, 546
 - Wiggle Paths, 543
 - Wiggle Transform, 547–49
 - Zig Zag, 543
 - Shape Stroke Color, 529
 - Shape tools, 529
 - Shininess parameter, 275
 - shortcut keys. *See* keyboard shortcuts
 - Show Reference Graph, 77
 - Show Rendering in Progress in Info Panel preference, 719, 725
 - Show Tool Tips preference, 722
 - Shutter Angle, 134
 - Shutter Phase, 134
 - Shy switch, 118
 - Silhouette Alpha mode, 150, 216
 - Silhouette FX. *See* *Third-Party sidebar*
 - Silhouette Luma mode, 150, 216
 - silhouettes, 216, 357
 - Skip Existing Files option, 697
 - sliders, 397
 - slip editing, 124–25
 - slowing down. *See* Time Remapping; Time Stretch
 - Smart Mask Interpolation keyframe assistant, 186–89
 - Smart Quotes, 366
 - Smoother keyframe assistant, 100
 - SMPTÉ timecode, 30, BC37B
 - snapshots, 114–15, 453
 - Softimage|XSI, 659, 662, BC40B
 - Soft Light mode, 150
 - soft mattes, 198
 - solids
 - applying effects to, 410–11
 - black, 410–11
 - creating, 23
 - Show Solids option, 335
 - Solid Footage Settings dialog, 23
 - soling layers, 110–11
 - Solo switch, 110, 118
 - sound. *See* audio
 - Source Text, 381
 - spatial interpolation
 - default to linear preference, 723
 - defined, 43
 - speaker icon, 118
 - Specular parameter, 274
 - speed. *See* motion paths; Velocity Graphs
 - speeding up. *See* Time Remapping; Time Stretch
 - Spot lights, 264–66, 268–69, 278, 280
 - square pixels (working in), 680. *See also* non-square pixels
 - sRGB color profile, 443, BC23B
 - stained glass effect, 280
 - Starch tool, 592
 - Starting #, 701
 - Star tool, 530
 - Start Timecode, Comp Settings, 31
 - Stencil Alpha mode, 150, 215
 - Stencil Luma mode, 150, 214
 - stencils
 - 3D, 241
 - Alpha, 215–16
 - Alpha Add mode with, 219
 - background, issues, 216–18
 - Collapse Transformations, 357
 - creating, 214–16
 - disabling, 214
 - Preserve Underlying Transparency option, 217–19
 - silhouettes, 216, 357
 - track mattes versus, 218
 - step-time technique, 489–90
 - Still Footage preference, 725
 - still images. *See also* footage
 - color management, 444
 - duration of, 117
 - importing, 632
 - panning, 64–65
 - rendering, 690–91
 - scaling up, 632
 - sequencing, 127
 - straight alpha. *See* alpha channels
 - stretching
 - layers, 52
 - in Render Queue, 702–3
 - time, 474–75
 - strokes
 - animating, 562–66
 - dashed lines, 537
 - effect, 404, BC23B
 - for shape layers, 529, 535, 537
 - for text, 366, 385
 - width, 366, 529
 - subpixel positioning, 69, 498
 - Subtract blending mode, 154
 - Subtract mask mode, 173
 - SWF files
 - exporting, 646
 - exporting text to, 392
 - importing, 636–37, 645–46
 - switches. *See also* individual switches
 - overview of, 118–19
 - recursive, 357, 723
 - tool tips for, 117
 - Switches Affect Nested Comps preference, 357, 723
 - Switches/Modes columns, 118–19, 140, 142
 - Synchronize Time of All Related Items preference, 723
 - Synthetic Aperture. *See* *Third-Party sidebar*
- T**
- tablets
 - painting with, 565
 - puppet animations with, 595
 - tabs, in user interface, 11
 - televisions. *See also* widescreen
 - HDTV and SDTV color profiles, 448–49
 - image aspect ratios, 676
 - safe areas, 685
 - templates
 - File Name, for renders, 691
 - Render Settings and Output Modules, 706–7
 - video, 638
 - temporal interpolation, 43
 - text. *See also* Text Animators
 - animation presets for, 380, 434–35
 - cascading, 374–75
 - centered, 370
 - color, 366
 - coloring Illustrator, 420
-

-
- text (*continued*)
 - creating, 365–67
 - cycling words, 381
 - decoding effect, 389
 - editing attributes, 366
 - editing keyboard shortcuts, 366
 - effects, 367
 - exporting to SWF format, 392
 - expressions, BC37B
 - fonts, 366
 - hiding selection, 391
 - horizontal/vertical, 370
 - kerning, 366
 - non-breaking, 368
 - outlines, 182
 - paragraph, 368
 - paragraph/point conversion, 368
 - on a path, 369
 - Per-character 3D, 292, 376–80, 393
 - Photoshop integration, 392
 - point, 368
 - quotation marks in, 366
 - random character order, 372
 - rotation, 373, 377–78
 - scripts, 381
 - size, 366
 - skew, 373
 - stroke attribute, 366
 - tracking, 366, 373
 - typing on, 371, 377
 - Text Animators
 - adding new, 370
 - adding properties to, 372
 - Amount parameter, 384–85
 - Anchor Point Grouping in, 385
 - Character Offset property, 373
 - Character Value property, 373
 - copying parameters between, 391
 - copying selectors between, 391
 - defined, 370
 - Expression Selector, 393, BC37B
 - Fill Opacity property, 373
 - Fill & Stroke options, 367
 - Grouping Alignment, 385
 - Inter-Character Blending, 385
 - Line Spacing property, 373
 - Mode parameter, 387
 - Text Animators (*continued*)
 - multiple, 390–92
 - Offset parameter, 371
 - parameter restriction, 391
 - parameter syncing, 391
 - Position property, 370
 - randomizing property values in, 386–88
 - Random Seed parameter, 372
 - Range Selector, 370–71, 384, 385, 387–89
 - renaming, 391
 - Selector syncing, 391
 - shapes for, 382–83
 - “slamdown” effect, 388
 - Spatial Phase, 388
 - Temporal Phase, 388
 - units for, 384
 - Wiggly Selector, 386–88
 - Texturize effect
 - basics of, 418–19
 - by nesting, 419
 - by precomposing, 420–21
 - thumbnails, in Project panel, 725
 - time
 - centering display, 27
 - current, 26
 - display modes, 30–31
 - Go To Time dialog, 26
 - in/out points and, 120–22
 - navigating in, 26
 - posterize, 336, BC37B
 - timecode generation, BC37B
 - zooming in Timeline panel, 27
 - timecode, 674, BC37B
 - Timecode Base popup, 30
 - Time Controls panel, 26
 - Timeline panel
 - adjusting parameter values in, 95
 - basics of, 3, 17
 - columns in, 17
 - layer, bar colors in, 117
 - markers in, 112–13
 - QuickSearch fields in, 4, 57
 - switches in, 118–19
 - trimming layers in, 122
 - Time Navigator bar, 27
 - Time Remapping, 478–90, 716
 - Time-Reverse Keyframes, 105
 - Time Stretch, 474–75
 - Tip of the Day, 2
 - titles
 - animating, 319, 369–93
 - revealing, 575
 - safe areas, 28, 682, 726
 - Toggle Mask and Shape Path Visibility button, 157, 532
 - Toolfarm.com, 415
 - Tools panel, 5
 - Tool Tips
 - displaying, 16
 - enabling, 117, 722
 - Track Camera tools, 227
 - Tracker Controls window, 499–500, 507, 509
 - TrackerViz, 507
 - tracking (motion). *See* Motion Tracking
 - tracking (text), 366, 373
 - track mattes
 - in 3D renders, 662, BC40B
 - in 3D space, 240–41
 - accessing, 190
 - Adjustment Layers and, 203, 209
 - Alpha Mattes, 192–94
 - animating, 201–2
 - background, adding, 194–95
 - choking, 211
 - color channels, 198–99
 - contrast, increasing, 197
 - creating, 190–94
 - defined, 190
 - details, 193
 - effects with, 190–96, 203, 209
 - fading, 211–12
 - fringe problem, 210–11
 - hierarchies, 204–9
 - inverted, 195–96
 - Luma Matte, 190–92, 194
 - luma versus alpha, 194
 - Matte Choker effect, 471
 - mocha shapes and, 524–27
 - Multiply mode versus, 145
 - nesting, 204–5
 - precomposing, 206–8
-

track mattes (*continued*)
 Set Matte effect, 200
 shadows and, 278
 Simple Choker effect, 210, 471
 specifying channel, 198–99
 stencils versus, 218
 straight alpha, 210
 transitions, 212–13

Track Options, 497

transfer modes. *See* blending modes

transformations
 adjustment layer, 409
 basics of, 42, 50, 51–52
 concatenation of, 353
 fit to comp, 52
 keyboard shortcuts, 66
 parenting, 201–3
 Transform effect, 340, 341, 409, 619, BC23B

transparency. *See* alpha channels; opacity

Trapcode. *See* *Third-Party sidebar*

trimming layers, 121–24, 127

troubleshooting
 compound effects, 424
 rendering, 68–69
 render order, 341

“T” switch, 217, 218

Type tool. *See also* text; Text Animators
 horizontal/vertical, 370
 introduced, 364–67
 keyboard shortcut for, 364

U

Ultimatte, 462

underscan, 682

undo, 115, 722

Unified Camera tool, 37, 227, 245

unit conversions, 49, 258, BC37B

upgrades, 638

Use Default File Name and Folder preference, 726

Use Gradients display preference, 728

Use Label Color for Layer Handles and Paths preference, 728

Use Label Color for Related Tabs preference, 728

User Interface Brightness preference, 2

Use Storage Overflow, 697

Use System Color Picker preference, 723

Use System Shortcut Keys preference, 723

V

Value Graphs, 72–74

Vanishing Point Exchange, 298–300

variables, in expressions, 621–23

Vector Paint, 554

Velocity Graphs, 76–77

vertex count preservation preference, 723

Vertical Type tool, 370

video. *See also* footage
 anamorphic widescreen, 678–80
 broadcast safe colors, 460–61, 685
 color advice, 461, 685
 color management, 443–44
 composite dot crawl, 686
 editing, 120–31
 field flicker, 673
 frames, 672
 high-definition, 674, 676
 interlaced, 672–73
 previewing, 686–87
 safe areas, 28, 682–83, 726
 templates, 638
 web version, 687

video cards, previewing through, 728

Video Copilot. *See* *Third-Party sidebar*

video monitors, 685

Video Preview, 41, 445, 728

Video switch, 19

View Axis Mode, 231

Viewer Quality preference, 37, 724

Vivid Light mode, 152

volumetric lights, 280

VPE files, 298–300

W

Wacom tablet, 565, 595

warp effects, 306–9, 422–24, BC23B

Watch Folder, 710–12, 713

waveforms
 audio, 598
 effects (visual), BC23B

web
 integration, 644–46

web (*continued*)
 video, 687

Welcome screen, 2

widescreen, 678–80

Wiggle behaviors, 436

wiggle expression, 624–25, BC37B

Wiggler keyframe assistant, 102–4

Wiggle Transform, 547–49

Wiggly Selector, 386–88

windows. *See* panels

Wireframe preview, 35

wobble removal. *See* Motion Stabilization

work areas
 defined, 27
 Extract Work Area, 127
 Lift Work Area, 127
 rendering, 696
 setting, 27–28
 shortcuts for, 28, 127
 Trim Comp to Work Area, 127
 trim work area to selected layers, 127

workspaces, 3, 4, 13, 228–29

World Axis Mode, 231

Write On mode (Paint), 563

X

XML files, 647–49

XMP metadata, 697, 699, 728

Y

YUV color space, 685, BC23B

Z

Zaxwerks. *See* *Third-Party sidebar*

Z depth, 221–23, 237

zooming
 in 3D Views, 227
 in Comp panel, 22
 Exponential Scale keyframe assistant and, 363
 to see all layers, 227, 246
 smoothing for, 724
 in Timeline panel, 27

Zoom parameter (Camera), 258–59

ZPIC file format, BC40B

Z Position parameter, 258–59

Z Scale, 224

Credits

Acquisitions Editor
Dennis McGonagle

Publishing Services Manager
George Morrison

Project Manager
Anne McGee

Marketing Manager
Amanda Guest

Production Credits

Cover & Interior Design
Trish Meyer

Page Layout
Trish Meyer

Copy Editor
Mandy Erickson

Proofreader
Sam Molineaux-Graham

Indexer
Ken DellaPenta

Printed in the United States of America by RR Donnelley.

Only two names end up on the cover, but in reality, scores of people are involved in the creation of a book like this. We greatly appreciate everyone who worked with us on this revised edition of Creating Motion Graphics.

RESOURCES

Some of our favorites places to learn more about motion graphics and After Effects:

Our own website is full of information about our video training, what we write and where we speak. Key pages to visit include:
articles.crishdesign.com
books.crishdesign.com
training.crishdesign.com

We maintain a pair of blogs for ProVideo Coalition. One is an archive of useful articles (cmgkeyframes.provideocoalition.com), while the other contains commentary and general chatter about motion graphics (cmgblog.provideocoalition.com).

We've also written a series of articles for Artbeats. You'll find them in their Written Tutorials section (www.artbeats.com/written_tutorials).

These are some of our favorite blogs, forums, web sites, and user groups when we need to find answers to questions on After Effects:

blogs.adobe.com/toddkopriva
blogs.adobe.com/keyframes
media-motion.tv/ae-list.html
www.adobeforums.com
www.aenhancers.com
www.aescripts.com
www.motionscript.com

When you need to feed the other side of your brain, also visit:
www.motionographer.com

Here are good sources for software and plug-ins (including freebies):
www.toolfarm.com; www.redgiantsoftware.com

DVD Tech Support

If your DVD becomes *damaged*, contact Focal Press Customer Service at: usbkinfo@elsevier.com
The phone number is: 1 (800) 545-2522 inside North America and +44 (0) 1865 474010 in Europe.

If you have trouble *operating* the DVD, contact Focal Press Technical Support at: technical.support@elsevier.com
The phone number is: 1 (800) 692-9010 inside North America and +1 (314) 872-8370 from overseas.